



fiorentini


we clean the world

CLEAN AIR




											
		(301) C29F1	(551MS) C61F1	(552MS) C62F1	(553MS) C63F1	(551TS) C64F1	(552TS) C65F1	(553TS) C66F1	(751MS) C71F1	(752MS) C72F1	(753MS) C73F1
potenza	power	100W	100	2X1000W	3X1000W	1000W	2X1000W	3X1000W	1000W	2X1000W	3X1000W
portata d'aria	air flow	m3/h 210	m3/h 210	m3/h 425	m3/h 645	m3/h 210	m3/h 425	m3/h 645	m3/h 210	m3/h 425	m3/h 645
Depressione	water lift	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr	226 mBr
rumorosità	noise level	71,5 dB	79 dB	81 dB	83 dB	79dB	81 dB	83dB	79dB	81dB	83dB
capacità	capacity	30L	55L	55L	55L	55L	55L	75L	75	75	75
alimentazione	power	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz	220v- 50Hz 115v-60Hz
Peso	Weight	8,5kg	17,5kg	20kg	22,5kg	19,5kg	22kg	24,5kg	18kg	20,5kg	23kg
Utilizzo	Use	Polvere e liquidi / Wet & dry									
Accessori	Accessories	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40	Ømm 40


								
		(751TS) C74F1	(752TS) C75F1	(752MS) C76F1	(752MS) C82F1	(753MS) C83F1	(752TS) C85F1	(753TS) C85F1
potenza	power	1000W	2X1000W	3X1000W	2X1000W	3X1000W	2X1000W	3X1000W
portata d'aria	air flow	210 m3/h	425m3/h	645 m3/h	425 m3/h	645 m3/h	425 m3/h	645 m3/h
Depressione	water lift	226 mBar	226 mBar	226 mBar	226 mBar	226 mBar	226 mBar	226 mBar
rumorosità	noise level	79dB	81dB	83dB	81dB	83dB	81dB	83dB
capacità	capacity	75L	75L	75L	75L	75L	75L	75L
Serbatoio	tank	ABS	ABS	ABS	ABS	ABS	ABS	ABS
alimentazione	power	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz	220V-50Hz 115v-60Hz
Peso	Weight	21kg	23kg	25kg	21kg	23,5kg	24kg	26kg
Utilizzo	Use	Polvere e liquidi / Wet & dry						
Accessori	Accessories	Ømm40	Ømm40	Ømm40	Ømm50/90	Ømm50/90	Ømm50/90	Ømm50/90



40 Ø



50 Ø



90 Ø

A	tubo flessibile - flexible hose
B	curvetta tubo rigido - rigid tube bend
C	lancia piatta - flat nozzle
D	pennello - brush
E	spazzola polvere - dry vacuum head
F	spazzola moquette - carpet brush
G	ventosa liquidi - wet vacuum head
H	connettore - connector
I	spazzola ovale - oval brush
K	prolunga in plastica - plastic extension -





fiorentini

we clean the world

stabilimenti produttivi

50033 Piancaldoli (FI) via Piancaldoli 1896 Firenzuola
tel +39 0558173610 - fax +39 055817144

50033 Pietramala (FI) via Pietramala 70/B
tel +39 055813447 - fax +39 055813504

40024 Castel San Pietro (BO) via Cà Bianca 231/C
tel +39 051941743 - fax +39 0516942400

filiali commerciali

20132 Milano via Palmanova 211/A
tel +39 0227207783 - fax +39 022592779

00012 Guidonia Montecelio (Roma) via Bruno Pontecorvo 20
tel +39 0774357184 - fax +39 0774353419

dati aziendali

Ing. O. Fiorentini s.p.a. via Piancaldoli, 1896 - Firenzuola

50033 Fraz. Piancaldoli (FI) - Italia

P.I. 06113160482

Certificazione ISO 9001:2015

e-Mail: info@ingfiorentini.it