



fiorentini

we clean the world

SERIE K INOX



[illegible]



K44F1-D

K48F1-D

K56F1-D

K50F1-D

K97F1-D

K52F1-D

K99F1-D


K46-F1R

K46-F2R


utilizzo	use	Polvere e liquidi / Wet & dry /poussière et liquides									
alimentazione	power		230 v 50 Hz	230 v 50 Hz	230 v 50 Hz	230 v 50 Hz	230 v 50 Hz	230 v 50 Hz	230 v 50 Hz	230 v 50 Hz	230 v 50 Hz
potenza motore	motor power		1 X 100w	2 X 1000w	3 X 1000w	2 X 1000w	3 X 1000w	2 X 1000w	3X 1000w	2 X 1000w + pompa esterna	2 X 1000w +pompa esterna
serbatoio	tank		INOX	INOX	INOX	INOX	INOX	INOX	INOX	INOX	INOX
capacità serbatoio	tank capacity	L	50	50	50	55	55	55	55	50	60
volume serbatoio	tank volume	L	78	78	78	88	88	88	88	78	90
portata d'aria	air flow		210	425	645	425	425	425	645	425	645
depression	water lift		mBar 255	mBar 226	mBar 226	mBar 226	mBar 226	mBar 226	mBar 226	mBar 226	mBar 226
rumorosità	sound level	dB	76	76,5	78	76,5	76,5	76,5	76	79	78
dimensioni	dimension	cm	57x62x102	57X62X102	57x62x102	52x66x99	57x62x102	57x62x102	57x62x102	52x66x98	52x66x110
peso	weight	kg	23	25	27,4	23	25,9	25,9	28,3	35	36
classe energetica	energetic class		A	A	A	A	A	A	A	A	A
cavo elettrico	electric cable	m	2x1-7 m	3x1,5-7 m	3x1,5-7m	3x1-7 mt	3x1-7 m	3x1-7 mt	3x1-7 mt	3x1,5-7 mt	3x1,5-7 mt
tipo di filtro	filter type		Cotone/Cotton								
accessori	accessories	mm	Ø 40 mm	Ø 40 mm	Ø 40mm	Ø 50/90mm	Ø 50/90mm	Ø 50/90mm	Ø 50/90mm	Ø 40mm	Ø 40mm



Ø 32 mm



Ø 40 mm



Ø 50mm

Ø 90mm

A : tubo flessibile – flexible hose
 B : tubo rigido – steel hose courbe inox
 C : Lancia piatta – crevice
 D : pennello – round brush
 E : spazzola polvere – floor dry tool
 F : spazzola moquette – carpet brush
 G : ventosa liquidi – squeegee tool
 H : connettore – connection
 I : prolunga in plastica – plastic extension

K : spazzola ovale – oval brush
 L : bocchetta divani – upholster tool
 M : spazzola caloriferi – heater brush
 N : turbo spazzola – turbo brush
OPTIONAL
 1 : presa utensile – power tool
 2 : filtro cartuccia M – cartridge filter M
 3 : filtro cartuccia hepa H14 – hepa H14 cartridge filter
 4 : porta accessori – accessories holder

stabilimenti produttivi

50033 Piancaldoli (FI) via Piancaldoli 1896 Firenzuola
 tel +39 0558173610 - fax +39 055817144

50033 Pietramala (FI) via Pietramala 70/B
 tel +39 055813447 - fax +39 055813504

40024 Castel San Pietro (BO) via Cà Bianca 231/C
 tel +39 051941743 - fax +39 0516942400

filiali commerciali

20132 Milano via Palmanova 211/A
 tel +39 0227207783 - fax +39 022592779

00012 Guidonia Montecelio (Roma) via Bruno Pontecorvo 20
 tel +39 0774357184 - fax +39 0774353419

dati aziendali

Ing. O. Fiorentini s.p.a. via Piancaldoli, 1896 - Firenzuola

50033 Fraz. Piancaldoli (FI) - Italia

P.I. 06113160482

Certificazione ISO 9001:2015

e-Mail: info@ingfiorentini.it